

**To:** Raikar, Amitkumar[raikar.amitkumar@epa.gov]; Lee, Barbara[Lee.Barbara@epa.gov]; MUSANTE, JASON[Musante.Jason@epa.gov]; Wise, Robert[Wise.Robert@epa.gov]  
**Cc:** Gary Wofford[g.wofford@yahoo.com]; Jerry Wade[wade1109@msn.com]; Patrick Bennett[pbennett@eqm.com]  
**From:** Laurie Palmer  
**Sent:** Wed 6/22/2016 9:45:10 PM  
**Subject:** Hotel Charges for the Fruitland Magnesium Fire Incident ER  
removed.txt

Hi Amit,

We are adding 6 personnel hotel rooms to the Fruitland Magnesium Fire Incident ER as of tonight. Three of the personnel will be staying at the Crowne Plaza hotel and they will not honor the FTR rate of \$150.00/night for two of the rooms. They are offering a rate of \$170.00 for those rooms.

The other three personnel are staying at the Ramada Plaza Hotel LAX who is offering a rate of \$113.00/night, so below the FTR rate.

We checked availability at the Bell Gardens, Quality Inn, Extended Stay America and Days Inn and none of them had availability for our crew.

We are requesting approval to charge the Task Order for the \$20.00 overage per night for the two personnel.

Thank you,

Laurie Palmer

Contract Specialist

Environmental Quality Management, Inc.

18939 120<sup>th</sup> Avenue NE, Suite 103

Bothell, Washington 98011


425-673-2900 Main

206-276-3850 Cell

206-276-7511 Fax

[lpalmer@eqm.com](mailto:lpalmer@eqm.com)

[www.eqm.com](http://www.eqm.com)



**Please consider the environment before printing this e-mail or attachments. If you do print, please recycle the paper.**

**Disclaimer:**

**Electronic Privacy Notice.** This e-mail, and any attachments, contains information that is, or may be, covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and is also confidential and proprietary in nature. If you are not the intended recipient, please be advised that you are legally prohibited from retaining, using, copying, distributing, or otherwise disclosing, in part or in whole, this information in any manner. Instead, please reply to the sender that you have received this communication in error, and then immediately delete it. Thank you in advance for your cooperation.